

1 Dose/1 mL
Sterile Diluent
 To be added aseptically to vial of DISCARTED VACCINE.
 See outer package for complete directions. Store at 2° to 7°C.
 Boehringer Ingelheim Vetmedica, Inc. St. Joseph, MO 64506 U.S. Vet. Lic. No. 124
 0920361A
 20 NOV 20
 D09018

Animal Vetting Summary Sheet

Dog's Name	Oden		Est DOB/Age	end of 12/15	
Weight	20.95/21.4		Breed	Min/Pin/Beagle Mix	
Sex	M/N		Color	Brown/Red	
Notes/Markings					
Medications					
Vaccinations & Procedures	Type & Date(s)	NEXT DUE DATE			
DA2PPv	mid 2/16, 6/26/16, 7/12/16				
Bordetella	7/3/16	6 mos			
Rabies #1843	6/28/16	1 year			
Heartworm Preventative	Interceptor plus 9/29/16, 9/16/16, 9/12/16, 1 month				
Flea/Tick Preventative	Nexgard 7/3/16				
Distemper (Type 2)	Date(s)		NEXT DUE DATE		
Paravet	7/24-7/28/16				
Brevento	7/27/16				
Other	Date(s)	Results/Notes			
Health Certificate	7/27-16				
Fecal	7/27-16	NES			
Circin type: (Round / Flat / Other)	7/27-16	WAD			
Giardia SNAP test	6/28/16	Negative			
4Dx SNAP Test (Parvovirus, Type 2, Distemper, Bordetella)	6/28/16	Negative			
Microchip Brand		Microchip #	981020013150763		
Type (eg, tx type/procedure, test name)	Date(s)	Results/Comments			
Skin scrape	7/27-16	Demodex (+)			
Group Name	St Roch's Rescue	Group Home	SOSARL		
Contact	Nancy Rother	Contact	Emma Dawley		
Phone	601-519-9173	Phone	401-216-0727		
Email	nancy@st-roch.org	Email	info@sosarl.org		
Save One Soul		www.sosarl.org (p) 401-216-0727 (f) 954-200-2727 info@sosarl.org ANIMAL RESCUE LEAGUE PO Box 400, Wakefield, RI 02880			

150704-00
 09 JUN 17
 9160184A

See outer package for complete directions. Store at 2° to 7°C.
 Duramune Max5
 Parvovirus Vaccine
 Adenovirus Type-2
 Canine Distemper

1 Dose
 Rehydrate with 1 mL
 Canine Distemper Adenovirus Type 2-Parainfluenza Vaccine
 Modified Live Virus
 See outer package for directions and precautions. Store at 35-45°F (2-7°C). Burn this vial.
 Boehringer Ingelheim Vetmedica, Inc. St. Joseph, MO 64506 U.S. Vet. Lic. No. 124

3410323A
 21 AUG 17

20-1017E
 34701-02

09 JUL 17
 3470079A

See outer package for complete directions and precautions. Store at 35-45°F (2-7°C). Burn this vial.
 Modified Live Virus
 Vaccine
 Parvovirus

#2 6/26/16

D09018
 29 SEP 20
 092037A

See outer package for complete directions. Store at 2° to 7°C.
 Sterile Diluent
 To be added aseptically to vial of DISCARTED VACCINE.

155301-00
 23 JUL 17
 5530218A

See outer package for complete directions. Store at 2° to 7°C.
 ORAL
 Bronchi-Shield
 Vaccine
 Bronchisepptica
 Bordetella

9/3/16

Health certificates must be 10 days or less of delivery to new home. Dogs positive for cocci or giardia CANNOT travel. Last vaccine must be no less than 7 DAYS PRIOR to transport; check each transport requirements as some are MORE strict. Surgery must be at least 5 DAYS PRIOR to transport departure. Please check transport's requirements; as some are MORE strict. If test other than the 4Dx SNAP it is to be used, it must be approved by SOS.